


XH Type synchronous pulley  
specification model size table

Pitch=22.225



	200	300	300	200		The external diameters	The common differences
Standard belt width	50.8mm	76.2mm	76.2mm	101.6mm			
L18Z-38Z	85	85	110	140		<25.4	0.05
L39Z-120Z	97	97	120	146		25.4-50.8	0.08
W	67	67	94	121		50.8-101.6	0.1
X	21	21	40	40		101.6-177.8	0.13
						177.8-304.8	0.15

Tooth number may be wantonly chosen.Special model would be provided with drawings by consumers.if consumers organ

SPCFCTN	TYPE	Z	DP	DE	DM	D	E
18XH	A.B	18	127.34	124.55	80	28	
19XH	A.B	19	134.41	131.62	90	28	
20XH	A.B	20	141.49	138.69	90	28	
21XH	B	21	148.56	145.77	100	28	
22XH	B	22	155.64	152.84	100	28	
23XH	B	23	162.7	159.91	120	28	
24XH	B	24	169.79	166.99	120	28	
25XH	B	25	176.86	174.04	120	28	
26XH	B	26	183.93	181.14	120	28	
27XH	B	27	191.01	188.22	120	28	
28XH	B	28	198.09	195.29	150	28	
30XH	B	30	212.23	209.44	150	28	
32XH	W	32	226.38	223.59	150	30	173
34XH	W	34	240.53	237.74	150	30	177
38XH	W	38	268.83	266.03	150	30	216
40XH	W	40	282.98	280.18	150	30	230
46XH	W	46	325.42	322.63	175	30	272
48XH	W	48	339.57	336.78	175	30	286
58XH	W	58	410.32	407.52	175	30	357
60XH	W	60	424.47	421.67	175	30	370
70XH	W	70	495.21	492.42	175	30	442
72XH	W	72	509.36	506.56	175	30	456

80XH	W	80	565.95	563.16	175	30	513
84XH	W	84	594.25	591.46	175	30	456
96XH	W	96	679.15	676.35	175	30	626
120XH	W	120	848.93	846.14	175	30	796