


**XL Type synchronous pulley  
specification model size table**



	25	31	37	50	75	The external diameters	The common differences
Standard belt width	6.4mm	7.9mm	9.5mm	12.7mm	19.1		
L10Z-30Z	18	20	23	30	35	<25.4	0.05
L31Z-72Z	19	21	25	32	37	25.4-50.8	0.08
W	11	13	15	18	25	50.8-101.6	0.1
X	4	4	5	6	8	101.6-177.8	0.13
						177.8-304.8	0.15

Tooth number may be wantonly chosen.Special model would be provided with drawings by consumers.if

SPCFCTN	TYPE	z	DP	DE	DM	D	E	F
10XL	A.B	10	16.17	15.66	9.5	6		23
11XL	A.B	11	17.79	17.28	9.5	6		25
12XL	A.B	12	19.4	18.9	10	6		25
14XL	A.B	14	22.64	22.13	15	6		28
15XL	A.B	15	24.64	23.75	15	6		28
16XL	A.B	16	25.87	25.36	16	6		31
18XL	A.B	18	29.11	28.6	19	6		33
19XL	A.B	19	30.72	30.22	19	6		35
20XL	A.B	20	32.34	31.83	20	6		38
21XL	A.B	21	33.96	33.45	22	6		38
22XL	A.B	22	35.57	35.07	24	8		43
24XL	A.B	24	38.81	38.3	27	8		44
25XL	A.B	25	40.43	39.92	28	8		44
26XL	A.B	26	42.04	41.53	29	8		47

28XL	A.B	28	45.28	44.77	30	8		48
30XL	A.B	30	48.51	48	33	8		55
32XL	A.B	32	51.74	51.24	38	8		57
34XL	A.B	34	54.98	54.47	38	8		61
36XL	A.B	36	58.21	57.7	38	8		61
38XL	A.B	38	61.45	60.94	38	8		65
40XL	A.B	40	64.68	64.17	38	8		69
42XL	A.B	42	67.91	67.41	38	8		74
44XL	A.B	44	71.15	70.64	38	10		78
45XL	W	45	72.77	72.26	38	10	60	
48XL	W	48	77.65	77.11	38	10	64	
50XL	W	50	80.85	80.34	38	10	67	
56XL	W	56	90.55	90.04	38	10	74	
60XL	W	60	97.02	96.51	38	10	83	
70XL	W	70	113.19	112.68	38	10	100	
72XL	W	72	116.43	115.92	38	10	102	

Pitch=5.08

The table of common differences for the external diameters

consumers organizes manufacture

M	F
12	F-102312
13	F-102513
14	F-102514
18	F-102818
18	F-102818
20	F-103120
22	F-103322
22	F-103522
26	F-103826
26	F-104328
28	F-104432
32	F-104432
32	F-104734
34	F-104836

